



WORLD AMENITIES, INC

SAFETY DATA SHEET

BATH GEL; SHOWER GEL; BODY WASH

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Product name: BATH GEL; SHOWER GEL; BODY WASH
Company : World Amenities, Inc
Address : Camino Santa Fe, San Diego, CA 92121
Email : info@worldamenities.com
Fax : 619-276-7661
Emergency Phone : 619-276-7660
SDS Number: 2620110201
Effective Date: 2020-12-18

SECTION 2 HAZARDS IDENTIFICATION

GHS Classification:

Physical Hazards :

Not Classified

Health Hazards:

Skin corrosion/ irritation Category 2
Serious eye damage/eye irritation Category 2
Skin sensitization Category I
Specific target organ toxicity—Single exposure Category 2 (Digestive system)

Environmental Hazards:

Hazardous to the aquatic environment—Acute hazard Category 3

The hazards not mentioned are not applicable or no data available.

GHS Labelling:

Pictogram:

Signal Word:
Warning

- Hazard Statements :
- H315 Causes skin irritation.
 - H319 Causes serious eye irritation.
 - H317 May cause an allergic skin reaction.
 - H371 May cause damage to organs (Digestive system)
 - H402 Harmful to aquatic life.

- Prevention Precautionary Statements:
- P264 Wash thoroughly after handling.
 - P280 Wear protective gloves/ eye protection /face protection.
 - P272 Contaminated work clothing should not be allowed out of the workplace.
 - P260 Do not breathe dust/ fume/gas/mist/vapours; spray,
 - P 270 Do not eat, drink or smoke when using this product.
 - P273 Avoid release to the environment.

- Response Precautionary Statements :
- P302+P352 IF ON SKIN: Wash with plenty of water.
 - P362+P364 Take off contaminated clothing and wash it before reuse.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P337+P317 If eye -irritation persists: Get medical help.
 - P333+P317 If skin irritation or rash occurs: Get medical help.
 - P308+P316 IF exposed or concerned: Get emergency medical help immediately.

- Storage Precautionary Statements:
- P405 Store locked up.

- Disposal Precautionary Statements:
- P501 Dispose of contents/ container in accordance with local/regional/national/ international regulation.

Other Hazards:

This product contains 4. 08% of ingredients with no data or information for classification, and may have potentially unknown hazards to human health and the environment.

SECTION3 INFORMATION ON INGREDIENTS

Product name: BATH GEL; SHOWER GEL; BODY WASH				
Ingredient		Concentration	CAS No.	EC No.
Aqua		81. 38%	7732-18-5	231-791-2
Sodium Laureth Sulfate		11%	9004-82 4	920-535-1
Cocamide DEA		2%	68140-00-1	268-770-2
Sodium chloride		2%	7647-14-5	231-598-3
Cocamidopropyl Betaine		1.5%	86738-79-1	
Sodium Lauroyl Sarcosinate		1%	137-16-6	205-281-5
Citric acid		0.3%	5949-29-1	691 328-9
Parfum		0.3%		

Glycol Distearate	0.18%	91031-31 1	292-932-1
DMDM Hydantoin	0.1%	6440 58 0	229-222-8
Diazolidinyl urea	0.1%	39236-46 9	254-372 6
Disodium EDTA	0.1%	6381 92 6	613-386-6
Methylchloroisothiazolinone	0.02%	2682-20-4	220-239-6
Methyl isothiazolinone	0.02%	26172-55 4	247-500-7

SECTION 4 FIRST-AID MEASURES

Skin Exposure:

If skin irritation or rash occurs, call a physician.

Eye Exposure :

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes immediately. Assure adequate flushing by separating the eyelids with fingers. If irritation persists, call a physician.

Inhalation Exposure:

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Oral Exposure :

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed: No data available

Indication of any immediate medical attention and special treatment needed: No data available.

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable: Dry chemical, Water spray, Carbon dioxide or appropriate foam.

Special hazards arising from the substance or mixture:

May decompose upon combustion or in high temperatures to generate Carbon oxides, sulfur oxides, sodium oxides, nitrogen oxides, hydrogen chloride gas.

Advice for firefighters:

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Fire-extinguishing work is done from the windward. Uninvolved persons should evacuate to a safe place.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures :

Use personal protective equipment. Remove all sources of ignition. Avoid breathing vapour. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to noninvolved personnel should be controlled around the leakage area by roping off.

Environmental precautions :

Prevent further leakage or spillage if safe to do so. Avoid entering drains. Avoid release to the environment.

Methods and materials for containment and cleaning up:

Mix with inert material (e. g. dry sand, vermiculite) and transfer to a dry, clean, lidded container for disposal. Avoid inhalation. Ventilate area and wash spill site after material pickup is complete.

SECTION7 HANDLING AND STORAGE

Precautions for safe handling:

Operators should be trained and strictly abide by operating procedures. Wear appropriate protective clothing and chemical safety gloves. Avoid inhalation. Avoid contact with eyes. Avoid formation of vapor or gas. Handling is performed in a well ventilated place. Keep away from ignition sources, heat and flame. Incompatibilities: Strong oxidizing agents. Wash hands and face thoroughly after handling. No smoking at working site.

Conditions for safe storage, including any incompatibilities:

Store in cool place. Keep container tightly closed in a dry and well—ventilated place. Keep away from heat, sparks, and flame. Keep away from sources of ignition. Incompatibilities: Strong oxidizing agents. Storage place should be equipped with appropriate varieties and quantities of fire fighting equipment and leakage emergency treatment equipment.

SECTION8 EXPOSURE CONTROL/PPE

Control parameters :

Not set up.

Appropriate engineering controls:

Mechanical exhaust required. Safety shower and eye bath.

Personal Protective Equipment :

Respiratory: Wear government approved respirator.

Eye: Wear chemical safety glasses.

Clothing: Wear appropriate protective clothing.

Hand: Wear compatible protective gloves.

Other Protect:

No smoking, drinking and eating at working site. Wash thoroughly after handling.

SECTION9 PHYSICAL/CHEMICAL PROPERTIES

Colorless viscous liquid

Appearance :

Odor :

Weak odor

Odor Threshold:

No data available

pH Value:

8.8-8.9(1:1(Water Solution))

Solubility(ies) :

Soluble in water

Melting Point/

No data available

Freezing Point:

Boiling Point,

No data available

Initial Boiling

Point and Boiling

Range :

°

Flash Point

>96. ° C

(Closed Cup) :

Density/Relative

No data available

Density:

Viscosity:

No data available

Upper/Lower

No data available

Flammability or

Explosive Limits:

Vapor Pressure:

No data available

Vapor Density:

No data available

n—Octan01/Water

No data available

Partition

Coefficient:

Autoignition

No data available

Temperature :

Decomposition No data available
Temperature :
Evaporation Rate: No data available
Flammability Not applicable
(Solid, Gas) :

SECTION 10 STABILITY AND REACTIVITY

Reactivity:
 No data available.

Chemical stability:

Stable under normal temperatures and pressures.

Possibility of hazardous reactions:

No data available.

Conditions to avoid:

No data available.

Incompatible materials:

Strong oxidizing agents.

Hazardous Decomposition Products:

Carbon oxides, sulfur oxides, sodium oxides, nitrogen oxides, hydrogen chloride gas.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Citric acid: Rat Oral LD: 11700 mg/kg (OECD Test Guideline 401) ; LD :> 2000 mg/kg (OECD Test Guideline 402)

Sodium Laureth Sulfate: Rat Oral LD₅₀: 1600 mg/kg

Sodium chloride: Rat Oral LD : 3000 mg/kg; Rat Inhalation LC : >4200() mg/ m/ 1H

Disodium EDTA: Rat Oral LD : 2800 mg/kg (OECD Test Guideline 401) (Anhydrous substance)

Skin corrosion/ irritation:

Sodium Laureth Sulfate: Standard Draize test — rabbit skin — 25 mg/24H — Moderate

This product causes skin irritation.

Serious eye damage/ irritation:

Causes serious eye irritation.

Respiratory sensitization:

No data available.

Skin sensitization:

Diazolidinyl urea: Skin sensitisation Interpretation of results: sensitising (OECD Guideline 442A)

This product may cause an allergic skin reaction.

Germ cell mutagenicity:

No data available.

Carcinogenicity:

No data available.

Reproductive toxicity:

No data available.

Specific Target Organ Toxicity —Single Exposure:

May cause damage to organs (Digestive system)

Specific target organ toxicity — repeated exposure:

No data available.

Aspiration hazard:

No data available.

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity:

Sodium Laureth Sulfate : Toxicity to Crustaceans (water flea) EC50 3. 12 mg L—48 hours (ECOTOX, 2008)

Methyl chloroisothiazolinone: Toxicity to Algae static test EC – Skeletonema costatum-0. 069 mg l-96 h (OECD Test Guideline 201)

Persistence and degradability:

Methylchloroisothiazolinone: Biodegradability—Result 55. 8%—Not readily biodegradable (OECD Test Guideline 301B)

Bioaccumulative potential :

No data available.

Mobility in soil:

No data available.

Other adverse effects:

No data available.

SECTION13 DISPOSAL CONSIDERATION

Appropriate Method of Disposal of Substance:

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with and afterburner and scrubber. Observe all federal, state, and local environmental regulations.

SECTION14 TRANSPORT INFORMATION

RID/ADR: The substance is not subject to RID/ADR.

IATA DGR: The substance is not subject to IATA DGR.

IMO IMDG Code: The substance is not subject to IMO IMDG Code.

SECTION15 REGULATORY INFORMATION

Regulation (EC) No. 1272/2008 and the amendments:

Skin corrosion/ irritation Category 2

Serious eye damage/eye irritation Category 2

Skin sensitization Category I

Specific target organ toxicity—Single exposure Category 2 (Digestive system)